

BY CHK APR **DESCRIPTION** SHEET REV ECO DATE MATERIAL: 6061-T6 QQ-A-250/11 MR MR 10/16/00 POWDER COAT WAS IF2497 MR 1,2,3 NC STOCK: 0.063 SHEET GP LS GP 04/04/02 UPDATED DIM FORMAT, ADDED FLAT PATTERN 1,2,3 FINISH: POWDER COAT IF-2723 BLACK TEXTURE TGIC, ALT: FLAT BLACK ENAMEL ZA LS GA 10/11/18 UPDATED DRAWING FORMAT 1,2,3 WEIGHT: 0.52 lbs 9.00 5.530 2.765 2.565 <u>L</u> 5.130 9.00 -1 DOUBLER DRILL Ø0.257±0.005 (TYP, 4 PLCS) R1.000 (TYP, 4 PLCS)-Paravion® Inc. TITLE DRAWING NO. Technology 206SX-2110 DOUBLER DIMENSIONS IN INCHES DRAWN APRVD. CHK'D DATE REV ECO TOLERANCES EXCEPT BY BY BY WHERE NOTED: RHSM REB REB 11/29/94 -CONFIDENTIAL INFORMATION-THE INFORMATION AND DATA CONTAINED HEREIN $.X = \pm .1$ $.XX = \pm .05$ **PROTO** DO NOT SCALE DRAWING SHEET IS PROPRIETARY AND IS SUBMITTED IN CONFIDENCE; AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED $.XXX = \pm .010$ C 2018 PARAVION TECH., INC. PARAVION IS A TRADEMARK OF PARAVION TECHNOLOGY, INC. 1 DF 3 FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIOR $ANGLES = \pm 1^{\circ}$ BREAK ALL SHARP EDGES WRITTEN PERMISSION OF PARAVION TECHNOLOGY, INC.




MATERIAL: 6061-T6 QQ-A-200/16 STOCK: 0.125 X 1 X 1 ANGLE FINISH: POWDER COAT IF-2723 BLA

FINISH: POWDER COAT IF-2723 BLACK TEXTURE TGIC, ALT: FLAT BLACK ENAMEL

WEIGHT: 0.14 lbs



-3 ANGLE



-CONFIDENTIAL INFORMATIONTHE INFORMATION AND DATA CONTAINED HEREIN
IS PROPRIETARY AND IS SUBMITTED IN CONFIDENCE;
AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED
FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIOR
WRITTEN PERMISSION OF PARAVION TECHNOLOGY, INC.

	Paravion [®] √Technology	TITLE				DRAWING NO.		
	√Technology ^{me.}	DOUBLER				206SX-2110		
	DIMENSIONS IN INCHES							
	TOLERANCES EXCEPT	DRAWN BY	APRVD. BY	CHK'D BY	Ι	ATE	REV	ECO
	WHERE NOTED:	RHSM	REB	BR	11/	29/94	Α	
PROTO	$.X = \pm .1$, ,	
	$.XX = \pm .05$	DO NOT SCALE DRAWING					SHEET	
N/C	.XXX = ± .010 ANGLES = ± 1° C 2018 PARAVION TECH., INC. PARAVION IS A TRADEMARK OF PARAVION TECHNOLOGY, INC.						3 DF 3	

BREAK ALL SHARP EDGES